

Shared Memory Model


Alessio Vecchio

alessio.vecchio@unipi.it

Pervasive Computing & Networking Lab. (PerLab)

Dip. di Ingegneria dell'Informazione

Università di Pisa



PerLab



- The Critical-Section Problem
- Software Solutions
- Synchronization Hardware
- Semaphores
- Monitors
- Synchronization Examples

- **The Critical-Section Problem**
- Software Solutions
- Synchronization Hardware
- Semaphores
- Monitors
- Synchronization Examples

- To introduce the critical-section problem, whose solutions can be used to ensure the consistency of shared data
- To present both software and hardware solutions of the critical-section problem

- The **Producer** process produces data that must be processed by the **Consumer** process
- The inter-process communication occurs through a **shared buffer** (shared memory)
- **Bounded Buffer Size**
 - The Producer process cannot insert a new item if the buffer is **full**
 - The Consumer process cannot extract an item if the buffer is **empty**

■ Shared data

```
#define BUFFER_SIZE 10
typedef struct {
    . . .
} item;
item buffer[BUFFER_SIZE];
int in = 0;
int out = 0;
int counter = 0;
```

■ Producer process

```
item nextProduced;
```

```
while (1) {
```

```
    while (counter == BUFFER_SIZE); /* do nothing */
```

```
    buffer[in] = nextProduced;
```

```
    in = (in + 1) % BUFFER_SIZE;
```

```
    counter++;
```

```
}
```

■ Consumer process

```
item nextConsumed;
```

```
while (1) {
```

```
    while (counter == 0);    /* do nothing */
```

```
    nextConsumed = buffer[out];
```

```
    out = (out + 1) % BUFFER_SIZE;
```

```
    counter--;
```

```
}
```


- The statements

counter++;

counter--;

must be performed *atomically*.

- Atomic operation means an operation that completes in its entirety without interruption.

- The statement “**counter++**” may be implemented in machine language as:

register1 = counter

register1 = register1 + 1

counter = register1

- The statement “**counter--**” may be implemented as:

register2 = counter

register2 = register2 – 1

counter = register2

- If both the producer and consumer attempt to update the buffer concurrently, the assembly language statements may get interleaved.
- Interleaving depends upon how the producer and consumer processes are scheduled.

Race Condition

- Assume **counter** is initially 5. One interleaving of statements is:

producer: **register1 = counter** (*register1 = 5*)

producer: **register1 = register1 + 1** (*register1 = 6*)

consumer: **register2 = counter** (*register2 = 5*)

consumer: **register2 = register2 - 1** (*register2 = 4*)

producer: **counter = register1** (*counter = 6*)

consumer: **counter = register2** (*counter = 4*)

- The value of **count** may be either 4 or 6, where the correct result should be 5.

■ Race condition

- The situation where several processes access and manipulate shared data concurrently.
 - The final value of the shared data depends upon how instructions are interleaved.
-
- Show example about balance and num.Ops.
 - To prevent race conditions, concurrent processes must be **synchronized**.

- n processes all competing to use some shared data
- Each process has a code segment, called *critical section*, in which the shared data is accessed.
- Problem – ensure that when one process is executing in its critical section, no other process is allowed to execute in its critical section.

1. Mutual Exclusion

- If process P_i is executing in its critical section, then no other processes can be executing in their critical sections.


2. Progress

- If no process is executing in its critical section and there exist some processes that wish to enter their critical section, then the selection of the processes that will enter the critical section next cannot be postponed indefinitely.


3. Bounded Waiting.

- A bound must exist on the number of times that other processes are allowed to enter their critical sections after a process has made a request to enter its critical section and before that request is granted.
- Assume that each process executes at a nonzero speed
- No assumption concerning relative speed of the n processes.

- General structure of process P_i
 - do** {
 - entry section
 - critical section
 - exit section
 - reminder section
 - } while (TRUE)**



- Software approaches
- Hardware solutions
 - Interrupt disabling
 - Special machine instructions
- Operating System Support
 - Semaphores
- Programming language Support
 - Monitor
 - ...



- The Critical-Section Problem
- **Software Solutions**
- Synchronization Hardware
- Semaphores
- Monitors
- Synchronization Examples



A Software Solution



```
Boolean lock=FALSE;
```

```
Process Pi {
```

```
  do {
```

```
    while (lock);    // do nothing
```

```
    lock=TRUE;
```

```
    critical section
```

```
    lock=FALSE;
```

```
    remainder section
```

```
  } while (TRUE);
```

```
}
```

Does it work?

- Two process solution
- Assume that the LOAD and STORE instructions are **atomic**
- The two processes share two variables:
 - int **turn**;
 - Boolean **flag[2]**
- The variable **turn** indicates whose turn it is to enter the critical section.
- The **flag** array is used to indicate if a process is ready to enter the critical section
 - **flag[i]** = true implies that process **P_i** is ready!

```
do {  
    flag[i] = TRUE;  
    turn = j;  
    while (flag[j] && turn == j);  
    critical section  
    flag[i] = FALSE;  
    remainder section  
} while (TRUE);  
}
```

```
do {  
    acquire lock  
    critical section  
    release lock  
    remainder section  
} while (TRUE);
```

- The Critical-Section Problem
- Software Solutions
- **Synchronization Hardware**
- Semaphores
- Monitors
- Synchronization Examples

- Many systems provide hardware support for critical section code
- Uniprocessors – could disable interrupts
 - The running process should not be pre-empted during the critical section
- Modern machines provide special atomic hardware instructions



Interrupt Disabling



```
do {  
    disable interrupt;  
    critical section  
    enable interrupt;  
    remainder section  
} while (1);
```

```
do {  
    while (lock); // do nothing  
    lock=TRUE;  
    critical section  
    lock=FALSE;  
    remainder section  
} while (1);
```

The solution does not guaranteed the mutual exclusion because the test and set on lock are not atomic

■ Definition:

```
boolean TestAndSet (boolean *target) {  
    boolean rv = *target;  
    *target = TRUE;  
    return rv;  
}
```



Solution using Test-And-Set



```
boolean lock=FALSE;
```

```
do {
```

```
    while (TestAndSet (&lock )); // do nothing
```

```
    critical section
```

```
    lock = FALSE;
```

```
    remainder section
```

```
} while (TRUE);
```



Swap Instruction



```
void Swap (boolean *a, boolean *b) {  
    boolean temp = *a;  
    *a = *b;  
    *b = temp;  
}
```

Solution using Swap

- Shared boolean variable `lock` initialized to `FALSE`
- Each process has a local boolean variable `key`

do {

`key = TRUE;`

`while (key == TRUE) Swap (&lock, &key);`

`critical section`

`lock = FALSE;`

`remainder section`

`} while (TRUE);`

This solution guarantees mutual exclusion but not bounded waiting

Bounded-waiting Mutual Exclusion with TestAndSet()

```
do {  
    waiting[i] = TRUE;  
    key = TRUE;  
    while (waiting[i] && key) key = TestAndSet(&lock);  
    waiting[i] = FALSE;  
    // critical section  
    j = (i + 1) % n;  
    while ((j != i) && !waiting[j]) j = (j + 1) % n;  
    if (j == i) lock = FALSE;  
    else waiting[j] = FALSE;  
    // remainder section  
} while (TRUE);
```

- The Critical-Section Problem
- Software Solutions
- Synchronization Hardware
- **Semaphores**
- Monitors
- Synchronization Examples

- Synchronization tool that does not require busy waiting
- Semaphore S – integer variable
- Can only be accessed via two indivisible (atomic) operations
 - `wait()` and `signal()`
 - Originally called `P()` and `V()`

```
wait (S) {  
    while (S <= 0);    // do nothing  
    S--;  
}
```

```
signal (S) {  
    S++;  
}
```

wait() and signal() **must be atomic**

- **Counting** semaphore
 - integer value can range over an unrestricted domain
- **Binary** semaphore
 - integer value can range only between 0 and 1; can be simpler to implement
 - Also known as **mutex locks**
- Can implement a counting semaphore **S** as a binary semaphore

- Shared data:
 semaphore mutex=1;
- Process P_i :
 do {
 wait (mutex);
 // Critical Section
 signal (mutex);
 // Remainder section
 } while (TRUE);

- Must guarantee that no two processes can execute `wait()` and `signal()` on the same semaphore at the same time
- Could have `busy waiting (spinlock)`
 - Busy waiting wastes CPU cycles
 - But avoids context switches
 - May be useful when the critical section is short and/or rarely occupied
- However applications may spend lots of time in critical sections and therefore, generally, this is not a good solution.

- Define a semaphore as a record

```
typedef struct {  
    int value;  
    struct process *L;  
} semaphore;
```

- Assume two simple operations:

- **block** suspends the process that invokes it.
- **wakeup(*P*)** resumes the execution of a blocked process *P*.

```
wait (semaphore *S) {  
    S->value--;  
    if (S->value < 0) {  
        add this process to S->list;  
        block();  
    }  
}  
  
signal (semaphore *S) {  
    S->value++;  
    if (S->value <= 0) {  
        remove a process P from S->list;  
        wakeup(P);  
    }  
}
```

- Execute B in P_j only after A executed in P_i
- Use semaphore $flag$ initialized to 0
- Code:

P_i	P_j
\vdots	\vdots
A	$wait(flag)$
$signal(flag)$	B

■ Deadlock

- two or more processes are waiting indefinitely for an event that can be caused by only one of the waiting processes.

■ Let S and Q be two semaphores initialized to 1

P_0	P_1
$wait(S);$	$wait(Q);$
$wait(Q);$	$wait(S);$
\vdots	\vdots
$signal(S);$	$signal(Q);$
$signal(Q);$	$signal(S);$

■ Starvation – indefinite blocking.

- A process may never be removed from the semaphore queue in which it is suspended.



- Bounded-Buffer Problem
- Readers and Writers Problem
- Dining-Philosophers Problem

Bounded-Buffer Problem

- N buffers, each can hold one item
- Semaphore **mutex** initialized to the value 1
- Semaphore **full** initialized to the value 0
- Semaphore **empty** initialized to the value N .

■ Producer Process

```
do {  
    ...  
    <produce an item in nextp>  
    ...  
    wait(empty);  
    wait(mutex);  
    ...  
    <add nextp to buffer>  
    ...  
    signal(mutex);  
    signal(full);  
} while (1);
```

■ Consumer Process

```
do {  
    wait(full)  
    wait(mutex);  
    ...  
    <remove item from buffer to  
    nextc>  
    ...  
    signal(mutex);  
    signal(empty);  
    ...  
    <consume item in nextc>  
    ...  
} while (1);
```

- A data set is shared among a number of concurrent processes
 - **Readers** – only read the data set; they do **not** perform any updates
 - **Writers** – can both read and write
- Problem
 - Allow multiple readers to read at the same time.
 - Only one single writer can access the shared data at the same time
- Variants
 - No new reader must wait when a writer is waiting for data access
 - No new reader can start reading when a writer is waiting for data access

■ Shared Data


- Data set
- Integer `readcount` initialized to 0
- Semaphore `mutex` initialized to 1
 - ▶ Mutual exclusion on `readcount`
- Semaphore `wrt` initialized to 1
 - ▶ Mutual exclusion on the data set by writers

- The structure of a writer process

```
do {  
    wait (wrt) ;  
    // writing is performed  
    signal (wrt) ;  
} while (TRUE);
```

- The structure of a reader process

```
do {  
    wait (mutex) ;  
    readcount ++ ;  
    if (readcount == 1) wait (wrt) ;  
    signal (mutex) ;  
    // reading is performed  
    wait (mutex) ;  
    readcount - - ;  
    if (readcount == 0) signal (wrt) ;  
    signal (mutex) ;  
} while (TRUE);
```

■ Shared data

- Bowl of rice (data set)
- Semaphore `chopstick [5]` initialized to 1

■ The structure of Philosopher i :

```
do {  
    wait (chopstick[i]);  
    wait (chopStick[ (i + 1) % 5] );  
    // eat  
    signal (chopstick[i]);  
    signal (chopstick[ (i + 1) % 5] );  
    // think  
} while (TRUE);
```

■ Deadlock

- A deadlock occurs if all philosophers start eating simultaneously

■ Possible solutions to avoid deadlocks

- Only 4 philosophers can sit around the table
- A philosopher can take his/her chopsticks **only if** they both are free
- An odd philosopher takes the chopstick on its left first, and then the one on its right; an even philosopher takes the opposite approach.

■ Starvation


- Any solution must avoid that a philosopher may starve

- Incorrect use of semaphore operations:
 - wait (mutex) ... wait (mutex)
 - signal (mutex) wait (mutex)
 - Omitting of wait (mutex) or signal (mutex) (or both)




- The Critical-Section Problem
- Software Solutions
- Synchronization Hardware
- Semaphores
- **Monitors**
- Synchronization Examples


- A high-level abstraction that provides a convenient and effective mechanism for process synchronization



- A high-level abstraction that provides a convenient and effective mechanism for process synchronization
- Only one process may be active within the monitor at a time

```
monitor monitor-name {  
    // shared variable declarations  
    procedure P1 (...) { ..... }  
    ...  
    procedure Pn (...) {.....}  
    Initialization code ( ..... ) {  
        ...  
    }  
}
```





- condition `x`, `y`;
- Two operations on a condition variable:
 - `x.wait()` – a process that invokes the operation is (**always**) suspended.
 - `x.signal()` – resumes one of processes (if any) that invoked `x.wait()`.
- Variants (P executes `x.signal()` and Q was blocked on `x`)
 - **Signal and wait**: P waits for Q leaving the monitor – or blocking on another condition variable – before proceedings on
 - **Signal and proceed**: Q waits for P leaving the monitor – or blocking on another condition variable – before proceedings on
 - **Signal and Leave**: P executes signal and leaves the monitor (Concurrent Pascal)

- Based on monitors
- The solution assumes that
 - A philosopher can take his/her chopsticks only when are both free
- The proposed solution is deadlock-free

```
monitor DP {
    enum { THINKING; HUNGRY, EATING) state [5] ;
    condition self [5];

    void pickup (int i) {
        state[i] = HUNGRY;
        test(i);
        if (state[i] != EATING) self [i].wait();
    }

    void putdown (int i) {
        state[i] = THINKING;
        // test left and right neighbors
        test((i + 4) % 5);
        test((i + 1) % 5);
    }
}
```



Solution to Dining Philosophers



```
void test (int i) {  
    if ((state[(i + 4) % 5] != EATING) &&  
        (state[i] == HUNGRY) &&  
        (state[(i + 1) % 5] != EATING) ) {  
        state[i] = EATING ;  
        self[i].signal() ;  
    }  
}
```

```
initialization_code() {  
    for (int i = 0; i < 5; i++)  
        state[i] = THINKING;  
}  
}
```




Solution to Dining Philosophers



- Each philosopher p invokes the operations `pickup()` and `putdown()` in the following sequence:

```
While (1) {  
    Think;  
    DP.pickup (p);  
    Eat;  
    DP.putdown (p);  
}
```



- The Critical-Section Problem
- Software Solutions
- Synchronization Hardware
- Semaphores
- Monitors
- **Synchronization Examples**



Synchronization Examples



- Solaris
- Windows XP
- Linux
- Pthreads



Solaris Synchronization



- Implements a variety of mechanisms to support multitasking, multithreading (including real-time threads), and multiprocessing
- **Adaptive mutexes** for efficiency when protecting data from short code segments
- Uses **semaphores**, **condition variables** and **readers-writers locks** when longer sections of code need access to data

- Uses **interrupt masks** to protect access to global resources from *kernel* threads on uniprocessor systems
- Uses **spinlocks** on multiprocessor systems
- For *out-of-kernel* synch provides **dispatcher objects**
 - may act as either mutexes and semaphores
- Dispatcher objects may also provide **events**
 - An event acts much like a condition variable

■ Linux:

- Prior Version 2.6, non-preemptive kernel
 - ▶ A task executed in system mode cannot be interrupted, even by a higher-priority thread
- Version 2.6 and later, fully preemptive

■ Linux provides:

- ▶ semaphores
- ▶ spin locks

■ Linux kernel

- Multi-processor
 - ▶ Enable/disable spinlocks (active only for short times)
- Single-processor
 - ▶ Disable/Enable preemption

- Pthreads API is OS-independent
- It provides:
 - mutex locks
 - condition variables
- Non-portable extensions include:
 - read-write locks
 - spin locks

Questions?

